



Australian Certified for Safety and EMC



The following pages include information regarding Australian electrical certification for the following Docking Drawer in-drawer outlets:

Docking Drawer Trio Series Outlets - 3030-1xx0x

AG011123



经续检验

SLG-CPC Testlaboratory

TEST REPORT

Electromagnetic compatibility of multimedia equipment

Report Number. :	90677-21-71-21-PP003	
Date of issue :	Aug. 30, 2022	
Tested by (+signature) :	Duke CHEN	<i>Duke Chen</i>
Approved by (+signature) :	Jason GAO	<i>Jason gao</i>
Testing Laboratory name :	SLG-CPC Testlaboratory Co., Ltd.	
Address :	No. 11, Wu Song Road, Dongcheng District, Dongguan, Guangdong Province, China 523117	
Applicant's name :	JTech Solutions Inc.	
Address :	12893 Alcosta Boulevard Ste M, San Ramon, California, 94583, USA	
Manufacturer's name :	JTech Solutions Inc.	
Address :	12893 Alcosta Boulevard Ste M, San Ramon, California, 94583, USA	
Factory's name :	JTech Solutions Inc.	
Address :	12893 Alcosta Boulevard Ste M, San Ramon, California, 94583, USA	
Standard(s) :	EN 55032:2015+A1:2020(AS/NZS CISPR 32:2015+A1:2020) (BS EN 55032:2015+A1:2020), EN 55035:2017+A11:2020 (BS EN 55035:2017+A11:2020), EN IEC 61000-3-2:2019+A1:2021 (BS EN IEC 61000-3-2:2019+A1:2021), EN 61000-3-3:2013/A2:2021/AC:2022-01 (BS EN 61000-3-3:2013/A2:2021/AC:2022-01)	
Test item description :	Docking Drawer	
Trade Mark :	Docking Drawer	
Model/Type reference :	3030-1130W; 3040-1140W; 3050-1150W; 3030-1330W; 3040-1440W; 3050-5150W; 3030-1130B; 3040-1140B; 3050-1150B; 3030-1330B; 3040-1440B; 3050-5150B	
Rating(s) :	Refer to Section 1.2	
Date of receipt of test item :	Nov. 19, 2021	
Date (s) of performance of test:	See dates for each test case	
Test Report Form No. :	AS_CISPR32_EN32&35_61000_3_2&3_B3	
Master TRF :	Dated 2021-09	
Summary of Test Results :	Pass	
The Summary of Test Results based on a technical opinion belongs to the standard(s).		
General disclaimer: This report shall not be reproduced except in full, without the written approval of SLG-CPC Testlaboratory Co., Ltd. The test results in the report only apply to the tested sample.		



中国认可
国际互认
检测
TESTING
CNAS L0612



经续检验
SLG-CPC Testlaboratory

TEST REPORT

AS/NZS 3105

Approval and test specification-Electrical portable outlet devices

Report Reference No. : 90677-21-70-22-PP0012

Tested by (name + signature) : Annie Li
(Project Engineer)

Annie Li

Approved by (name + signature) : Owen Zhan
(Technical Director)

Owen Zhan

Date of issue : 2022-11-02

Contents : 268 Pages

Testing Laboratory : SLG-CPC Testlaboratory Dongguan Co., Ltd.

Address : No. 11, Wu Song Road, Dongcheng District, Dongguan, Guangdong
Province, China 523117

Testing location/ address : The same as above.

Applicant's name : JTech Solutions Inc.

Address : 12893 Alcosta Boulevard Ste M, San Ramon, California, 94583, USA

Test specification:

Standard : AS/NZS 3105:2014 + A1:2017
AS/NZS 3112:2017 + A1:2021
AS/NZS 3100:2017:2017 + A1:2017 + A2:2019 + A3 :2020
AS/NZS 61558.2.16:2010 + A1:2010 + A2:2012 + A3:2014 used in
conjunction with AS/NZS 61558.1:2008 + A1:2009 + A2:2015 +
A3:2020
IEC 62368-1:2014 (AS/NZS 62368.1:2018)

Test procedure : Safety test

Non-standard test method : N/A

Test Report Form No. : AS/NZS 3105_A3

Master TRF : Dated 2022-04-19

Test item description : Docking Drawer

Trade Mark : Docking Drawer

Manufacturer : JTech Solutions Inc.

Address : 12893 Alcosta Boulevard Ste M, San Ramon, California, 94583, USA

Model/Type reference : 3030-1130W; 3030-1330W; 3030-1130B; 3030-1330B





Ratings : Input: 220 - 240 VAC; 50-60 Hz; Total Loading: 10 A; 2400 W;





Type-A output: DC 5 V, 3 A; DC 9 V, 2,22 A; DC 12 V, 1,67 A; DC 20 V, 1,0 A;





Type -C output: DC 5 V, 3 A; DC 9 V, 2,22 A; DC 12 V, 1,67 A; DC 15 V, 1,33 A; DC 20 V, 1,0 A;





Type-A + Type -C output: DC 5 V; 2,4 A Total

Copy of marking plate (as examples):

Docking Drawer	
Model: 3030-1330W	
Input 220-240~ 50-60Hz	
Socket outlet: 10A, 2400W	
Type-A: 5V \equiv 3A, 9V \equiv 2.22A, 12V \equiv 1.67A, 20V \equiv 1.0A	
Type-C: 5V \equiv 3A, 9V \equiv 2.22A, 12V \equiv 1.67A, 15V \equiv 1.33A, 20V \equiv 1.0A	
Type-A + Type-C: 5V \equiv 2.4 A total	
The total load connected is not to exceed 10A 2400W	
Approval No.:	
Made in USA	Serial No.:

Docking Drawer	
Model: 3030-1130W	
Input 220-240~ 50-60Hz	
Socket outlet: 10A, 2400W	
Type-A: 5V \equiv 3A, 9V \equiv 2.22A, 12V \equiv 1.67A, 20V \equiv 1.0A	
Type-C: 5V \equiv 3A, 9V \equiv 2.22A, 12V \equiv 1.67A, 15V \equiv 1.33A, 20V \equiv 1.0A	
Type-A + Type-C: 5V \equiv 2.4 A total	
The total load connected is not to exceed 10A 2400W	
Approval No.:	
Made in USA	Serial No.:

Docking Drawer	
Model: 3030-1330B	
Input 220-240~ 50-60Hz	
Socket outlet: 10A, 2400W	
Type-A: 5V \equiv 3A, 9V \equiv 2.22A, 12V \equiv 1.67A, 20V \equiv 1.0A	
Type-C: 5V \equiv 3A, 9V \equiv 2.22A, 12V \equiv 1.67A, 15V \equiv 1.33A, 20V \equiv 1.0A	
Type-A + Type-C: 5V \equiv 2.4 A total	
The total load connected is not to exceed 10A 2400W	
Approval No.:	
Made in USA	Serial No.:

Docking Drawer	
Model: 3030-1130B	
Input 220-240~ 50-60Hz	
Socket outlet: 10A, 2400W	
Type-A: 5V \equiv 3A, 9V \equiv 2.22A, 12V \equiv 1.67A, 20V \equiv 1.0A	
Type-C: 5V \equiv 3A, 9V \equiv 2.22A, 12V \equiv 1.67A, 15V \equiv 1.33A, 20V \equiv 1.0A	
Type-A + Type-C: 5V \equiv 2.4 A total	
The total load connected is not to exceed 10A 2400W	
Approval No.:	
Made in USA	Serial No.:

Summary of testing:

The model 3030-1130W was tested as representative samples and found to comply with the related requirements of the standards mentioned on page one.

Test item particulars :

Possible test case verdicts:

- test case does not apply to the test object..... : N/A (Not applicable)
- test object does meet the requirement : P (Pass)
- test object does not meet the requirement : F (Fail)

Testing

Date of receipt of test item : 2021-12-06

 Date (s) of performance of tests : 2021-12-06 to 2022-06-08; 2022-07-26; 2022-08-18;
2022-10-31; 2022-11-02

General remarks:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing testing laboratory.

"(see Enclosure #)" refers to additional information appended to the report.

"(see appended table)" refers to a table appended to the report.

List of test equipment must be kept on file and available for review.

Throughout this report a comma (point) is used as the decimal separator.

Unless otherwise stated the decision rule of uncertainties in the tests and measurements are evaluated in according to CPC procedure files CPC-3195 and CPC-2040.

Decision rule for statement(s) of conformity is based on Procedure 1 in CPC-2040 and Accuracy Method specified in Procedure 2, Clause 4.4.3 in IEC Guide 115:2021.

AS/NZS 3105; AS/NZS 3112:2017; AS/NZS 3100:2017:2017 + A1:2017 + A2:2019 + A3:2020 and AS/NZS 61558.2.16:2010 + A1:2010 + A2:2012 + A3:2014; AS/NZS 61558.1:2008 + A1:2009 + A2:2015 and AS/NZS 62368.1:2018 have been approved by CNAS.

A3:2020 of AS/NZS 61558.1 has not been approved by CNAS.

A3:2020 of AS/NZS 61558.1 was based on "AS/NZS 61558.1:2008 + A1:2009 + A2:2015" MOD

A1:2021 of AS/NZS 3112 is not within CNAS recognized scope; A1:2021 of AS/NZS 3112 is based on AS/NZS 3112:2017 modified.

Below annex shows where the contents of TRF have been modified by CPC;

- Add Attachment 1: AS/NZS 3112
- Add Attachment 2: AS/NZS 3100
- Add Attachment 3: Insulation material test result in accordance with clause 7 of AS/NZS 3121
- Add Attachment 4: IEC 61558-2-16
- Add Attachment 5: AS/NZS 61558.2.16
- Add Attachment 6: component list
- Add Attachment 7: IEC 62368-1
- Add Attachment 8: Annex ZZ (normative) VARIATIONS TO IEC 62368-1:2014 (ED. 2.0) FOR AUSTRALIA AND NEW ZEALAND
- Add Attachment 9: Photo documentation

This report is based on the CPC test report No. 90677-21-70-22-PP0011, only revise the certificate number of the thermostat in Attachment 6: component list.

Factory The same as manufacturer

General product information:

The construction of model 3030-1130W is similar with model 3030-1330W;

Model 3030-1330W is fitted with two approved AU socket-outlet modules and one USB module;

Model 3030-1130W is fitted with one approved AU socket-outlet module and two USB modules;

Model 3030-1330B is identical with model 3030-1330W, except the exterior color.

Model 3030-1130B is identical with model 3030-1130W, except the exterior color.

The exterior color of models 3030-1330W and 3030-1130W is white.

The exterior color of models 3030-1330B and 3030-1130B is black.

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	JTech Solutions, Inc.	Other Name	
Address	12893 Alcosta Blvd Ste M, San Ramon California 94583 United States		
Client ID	106657	Global-Mark File Number:	106657-004
Certificate Number & Approval Mark	GMA-513961-EA	Revision Number	00
Certification Standard(s)	AS/NZS 3105:2014 including A1 & AS/NZS 3100:2022 Approval and test specification - Electrical portable outlet devices		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval


CERTIFICATE DATES

Certificate Issue Date	3/11/2022
Certificate Last Update Date	
Certification Expiry Date	3/11/2027

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER

Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Outlet Device	Outlet Device	Docking Drawer	3030-1330W	220-240V~, 10A 2400W, 50-60Hz
Outlet Device	Outlet Device	Docking Drawer	3030-1130B	220-240V~, 10A 2400W, 50-60Hz
Outlet Device	Outlet Device	Docking Drawer	3030-1330B	220-240V~, 10A 2400W, 50-60Hz
Outlet Device	Outlet Device	Docking Drawer	3030-1130W	220-240V~, 10A 2400W, 50-60Hz

RELEVANT TRADEMARK (S)


COMMENTS OR CONDITIONS ON THE CERTIFICATION
- Complies with AS/NZS 61558.2.16:2010+A1-3 & AS/NZS 62368.1:2018

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

